



COMUNICACIÓN 5

RELACIÓN ENTRE MALTRATO INFANTIL INTRAFAMILIAR Y LA PRESENCIA DE TEPT EN NIÑOS/AS Y ADOLESCENTES / RELATIONSHIP BETWEEN INTRAFAMILY CHILD'S MALTREATMENT AND THE PRESENCE OF PTSD IN CHILDREN AND ADOLESCENTS

Concepción López Soler. Universidad de Murcia. Profesora titular de Universidad. Directora de Departamento (clopezs@um.es).

Maravillas Castro Sáez: Asociación para la Salud Mental Infanto-Juvenil, Quiero crecer / Universidad de Murcia (maracastro@um.es).

Mavi Alcántara-López: Asociación para la Salud Mental Infanto-Juvenil, Quiero crecer / Universidad de Murcia (mavialcantara@quierocreecer.es; mavialcantara@um.es).

Antonia Martínez Pérez: Asociación para la Salud Mental Infanto-Juvenil, Quiero crecer / Universidad de Murcia (amperez@um.es).

Visitación Fernández Fernández: Asociación para la Salud Mental Infanto-Juvenil, Quiero crecer / Universidad de Murcia (visifernandez@um.es).

Resumen

El objetivo del presente estudio fue investigar si la violencia en la pareja (IPV) sufrida por las madres (maltrato físico y psicológico), ser testigo ocular del maltrato psicológico y físico a la madre, la negligencia padecida por los menores y el maltrato (físico y psicológico) directo hacia estos, se asociaban estadísticamente a los síntomas de TEPT de los niños y niñas. Además, se analizó la prevalencia de TEPT infantil, así como la concordancia entre los síntomas de TEPT evaluados por el CPSS y los criterios DSM-IV-TR para el TEPT infantil. La muestra estuvo constituida por 152 niños españoles de entre 8 y 17 años y sus madres, reclutados en los Centros de Asistencia Especializada para Mujeres Víctimas de IPV (CAVI). La prevalencia de TEPT fue del 20.4%. Los resultados derivados del análisis de correlación canónica mostraron que los dos tipos de maltrato que contribuyeron en mayor medida a la variable canónica fueron el maltrato físico sufrido directamente por el niño y ser testigo presencial del maltrato físico sufrido por la madre. Los resultados son relevantes y tienen implicaciones clínicas para la prevención y la intervención con los menores.





Abstract:

The objective of the present study was to investigate whether partner violence (IPV) suffered by mothers (physical and psychological maltreatment), to be an eyewitness to the psychological and physical maltreatment of the mother, the neglect suffered by children, and the maltreatment (physical and psychological) directly suffered by children are statistically associated to the PTSD symptoms exhibited by the child. In addition, the prevalence of child PTSD was estimated, as well as the concordance between the PTSD symptoms assessed by the CPSS and the DSM-IV-TR criteria for child PTSD. The sample consisted of 152 Spanish children aged 8 to 17 and their mothers. The results of a canonical correlation analysis showed that the two types of maltreatment with the largest contribution to the canonical variable were the physical maltreatment directly suffered by the child and the child eyewitness of physical maltreatment suffered by the mother.

Palabras clave:

Trastorno por estrés postraumático, maltrato infantil intrafamiliar, menor testigo de violencia, maltrato a la madre, violencia de pareja.

Keywords:

Post-traumatic stress disorder, intrafamily child maltreatment, child witnessed maltreatment, mother maltreatment, intimate partner violence.

Referencias Bibliográficas:

- Alcántara, M.; López-Soler, c.; Castro, M.; López-García, J. J. (2013). Alteraciones psicológicas en menores expuestos a violencia de género: prevalencia y diferencias de género y edad. *Anales de Psicología*, 3, 741-74.
- Carpenter, G.L., & Stacks, A.M. (2008). Developmental effects of exposure to intimate partner violence in early childhood: A review of the literature. *Child & Youth Services*, 31, 831-839. doi: <https://doi.org/10.1016/j.childyouth.2009.03.005>
- Castro, M.; Alcántara, M.; Martínez, A.; Fernández, V.; Sánchez-Meca, J. and López-Soler, C. (2017) The Association between mother's IPV, child maltreatment type and the presence of PTSD in Spanish children and adolescents. *Int. J. Environ. Res. Public Health*, 14.
- Evans, S.E., Davies, C., & DiLillo, D. (2008). Exposure to domestic violence: A meta-analysis of child and adolescent outcomes. *Aggression and Violent Behavior*, 13, 131-140. doi: <https://doi.org/10.1016/j.avb.2008.02.005>





- Gjelsvik, A., Verhoek-Ofstedahl, W., & Pearlman, D.N. (2003). Domestic violence incidents with children witnesses: Findings from Rhode Island surveillance data. *Womens Health Issues*, 13, 68–73. doi: [https://doi.org/10.1016/S1049-3867\(02\)00197-4](https://doi.org/10.1016/S1049-3867(02)00197-4)
- Hamby, S., Finkelhor, D., Turner, H., & Ormrod, R. (2010). The overlap of witnessing partner violence with child maltreatment and other victimizations in a nationally representative survey of youth. *Child Abuse and Neglect*, 34, 734–741. doi: 10.1016/j.chiabu.2010.03.001
- Herrenkohl, T.I., Sousa, C., Tajima, E.A., Herrenkohl, R.C., & Moylan, C. (2008). Intersection of child abuse and children's exposure to domestic violence. *Trauma Violence Abuse*, 9, 84–99. doi: 10.1177/1524838008314797
- Levendosky, A.A., Bogat, G.A., & Martinez-Torteya, C. (2013). PTSD symptoms in young children exposed to intimate partner violence. *Violence Against Women*, 19, 187–201. doi: 10.1177/1077801213476458
- López-Soler, C., Alcántara, M., Castro, M., Sánchez-Meca, J. and Fernández, V. (2017). The Association between Maternal Exposure to Intimate Partner Violence and Emotional and Behavioral Problems in Spanish Children and Adolescents. *Journal of Family Violence*, 32(2), 135–144.
- Espinosa R., Lopez Soler, C., Castro, M., Martínez, A., López, J.A., Cervera, I, Fernández, V. and Alcántara, M. (2018). The Child PTSD Symptom Scale in Abused Children: Criteria for Diagnosis. *J Ment Disord Treat* 4:1. DOI: 0.4172/2471-271X.1000154.
- Rothman, E., Mandel, D., & Silverman, J. (2007). Abusers' perceptions of the effect of their intimate partner violence on children. *Violence Against Women*, 13, 1179–1191. doi: 10.1177/107780120730826
- Salisbury, E.J., Henning, K., & Holdford, R. (2009). Fathering by partner-abusive men: Attitudes on children's exposure to interparental conflict and risk factors for child abuse. *Child Maltreat*, 14, 232–242. doi: 10.1177/1077559509338407
- Trocme, N. (2017). *Child Abuse and its Impact on the Epidemiology of Child Psychosocial Development*. Centre of Excellence for Early Childhood Development: Montreal, Quebec, 2010.
- World Health Organization, WHO (2013). *Global and regional estimates of violence against women: Prevalence and health effects of intimate partner violence and non-partner sexual violence* (p. 3; p. 16). World Health Organization: Geneva, Switzerland.

Cláusula relativa al uso de los datos de carácter personal:

En cumplimiento de la Ley Orgánica 15/1999, de 13 de Diciembre, de Protección de Datos de Carácter Personal, le informamos que los datos personales facilitados van a ser incluidos en un fichero de datos de carácter personal, con la titularidad de la Federación de Asociaciones para la Prevención del Maltrato Infantil (FAPMI), con domicilio en C / Delicias, nº. 8, entreplanta. 28045, Madrid, entidad destinataria de la información facilitada.

De conformidad con el Art. 6.1 de la LOPD, le comunicamos que los datos solicitados serán utilizados por FAPMI para la difusión de sus actividades y, con su firma, Ud. autoriza la cesión de dichos datos a otras entidades colaboradoras de la Federación o con fines análogos y complementarios. Ud. tiene derecho a acceder, modificar y cancelar los datos contenidos en nuestro fichero dirigiéndose a la dirección antes mencionada, a la atención de la Secretaría de la FAPMI.

